

ROLLINGSHIELD



a c c o r d i o n s



Rollingshield™ is your partner in the Hurricane Shutter Industry

Quality.Service.Value

Rollingshield™ has been proud to serve the U.S. Market since 1993. As a manufacturer of high quality shutters and shades, Rollingshield™ has helped to protect countless homes and businesses in Florida, the Caribbean, the Gulf States and Mid-Atlantic Coast against the ravages of Hurricanes and Tropical Storms. Our continuing mission is to develop and produce the best shutters available in order to serve our customers' needs.



ROLLINGSHIELD™
SHUTTERS • SHADES

(800) 474-9404
www.rollingshield.com

Index - **RS1 High Velocity Accordion System**

RS1 Assembly	5
Blades and Extrusions	6
Headers and Sills	8
Hardware	10
Extruded Aluminum Angles	19
Extruded Aluminum Square Tubes	21



Terms and Conditions of Sale

Contractual Parties

Rolling Shield Parts, Inc., a Florida Corporation, herein after Supplier, and the purchaser of the goods and/or service sold by Rolling Shield Parts, Inc. hereunder Buyer mutually agree to abide by the terms and conditions of sales stated below.

Acceptance

All offers, quotes, job estimates and sales by Supplier are subject to the terms and conditions of sales stated herein. By taking delivery of products and/or services provided by Supplier, Buyer agrees to these terms and conditions unless otherwise expressly agreed under separate written contract and signed by the party's legal representatives. The terms and conditions stated herein shall prevail over any different or additional terms and conditions proposed by Buyer and shall apply to the sale or shipment of any goods in response to Buyer's order. Supplier hereby objects to any different or additional terms and conditions, which may be proposed or have been proposed by Buyer in any purchase, order forms or other documents.

Prices and Delivery

All price lists and/or quoted process are subject to change without notice. Prices on accepted orders shall remain firm for a period of 90 days from the date of order confirmation, provided that the final delivery occurs within that period. All prices are in U.S. Dollars F.O.B. Supplier's warehouse in Miami or Ft. Myer8, FL, excluding freight, packaging and taxes. Delivery dates on job estimates, quotes and/or orders confirmations are approximate.

Payment Terms

Payment terms for transactions other than credit accounts shall be stated on each quote, job estimate and/or order confirmation and will be strictly adhered to. Payment terms on credit accounts are net 30 days from date of invoice. Amounts past due on credit accounts are subject to finance charges at the highest rate allowed by law. Supplier retains the right to halt further deliveries and service to the buyer until all past due amounts have been paid, and to require payment in advance for orders not yet delivered.

Inspection and Claims

All claims against Supplier for shortages, damages, etc., must be made in writing to Suppliers within 24 hours of the date of receipt of shipment otherwise all claims are waived.

Risk of Loss

Buyer assumes all risks of loss, damage of the goods upon Supplier's delivery of the goods to the carrier at the point of shipment.

Force Majeure

If an order cannot be completed due to causes beyond Supplier's control Supplier retains the right to either cancel the incomplete portion of the order or complete the order if and when this becomes possible. Buyer shall not have the right to withhold payment on delivered goods and/or services. Force Majeure includes but is not limited to strikes, lockouts, storms, floods, and the like, wars, revolutions, major equipment failures or fire damage at the storage and/or production facilities, and other such acts of God or man.

Warranty

Supplier warrants all products against defects in material and workmanship for a period of (2) two years from the date of delivery. If any part or component does not function as intended during the warranty period, Supplier will provide a replacement part to Buyer when Supplier has received the original malfunctioning part or component as claimed by Buyer. This warranty does not apply in case of physical abuse or damage, misuse, misapplication or any defects due to faulty merchantability or of fitness for a particular purpose. This warranty does not apply to third party users.

Returns

No goods may be returned without the express written approval of Supplier and without a written authorization number. Buyer shall obtain such documented authorization and return authorization number before any materials or goods can be processed. Returned materials or goods must include the authorization number on all packaging and on all documents related to the materials or goods being returned. Goods approved for return must be in its unaltered stated and in the original container or packaging and must be in saleable condition. All returned packages must be shipped freight prepaid and accompanied by a copy of the original invoice. All credits for returned items are subject to Supplier's acceptance after inspection at its plant. Supplier retains the right to apply a restocking charge of 20% of the original invoice value on all returned goods.

Limited Liability

Supplier's liability for any and all claims, charges, expenses, damages, losses and injuries arising out of or relating to its performance or breach of any agreement of sales of goods and the manufacture, sales, deliver, resale, repair or use of any goods shall not exceed the purchase price of such goods. This shall be Buyer's sole and exclusive remedy against Suppliers outside of the remedy provided under Supplier's warranty. Buyer agrees that in no event shall Supplier be liable for incidental, special or consequential damages or for injuries to third parties.

Liens and Security Interest

Buyer shall not allow any undischarged lien, encumbrance or charges upon the goods sold by Supplier until Supplier has received payment in full for such goods. If any liens, encumbrances or charges are filed against Supplier's goods prior to full payment, Buyer shall discharge the liens, encumbrances or charges within (10) ten days and reimburse Supplier for expenses incurred defending its security interest. Supplier shall retain title in each item and/or good until fully paid. Full payment is herein defined to include all outstanding balances on the goods and/or services supplied and all finance charges that may have been incurred from the delivery date of such goods and/or services. Upon default, Supplier may recall and take possession of any items it sold to Buyer. Buyer at all times shall maintain insurance on all items sold equal to the contract value of the goods sold. Nothing in this paragraph shall be construed against the terms of this contract as F.O.B. Supplier's place of business. Shall it be construed against the F.O.B. terms, then the F.O.B. terms shall prevail over this clause, thereafter this clause shall be deemed null and void.

Statute of Limitations

Any action against Supplier shall be commenced within (90) ninety days after the cause of action has occurred.

Arbitration, Indemnification and Choice of Law

If both parties agree, disputes arising under this agreement shall be decided under procedure set by the American Arbitration Association. Buyer shall be liable for all costs of collection, fees, expenses, court costs and Supplier's actual attorney's fees and interest at the highest rate allowed by law. Buyer expressly agrees to indemnify and hold Supplier harmless from all charges and liability from any party relating to actions under this agreement. The rights and duties of the parties to this agreement and the construction and effect of these terms and conditions shall be governed by the laws of the state of Florida.

Failure to Object not a Waiver


The failure of Supplier to object to or to take affirmative action with respect to any conducts of Buyer which is in violation of the terms of this agreement shall not be construed as a waiver of the violation or breach or of any future violation, breach or wrongful conduct.

Unenforceable Terms

Any provision hereof prohibited or unenforceable under any applicable law of any jurisdiction shall as to such jurisdiction be ineffective without affecting any other provision of this Agreement. To the full extent, however, that the provisions of such applicable law may be waived, they are hereby waived at the end this Contract be deemed to be a valid and binding agreement enforceable in accordance with its terms.

Full Agreement

These terms and conditions represent the total agreement of the parties and all agreements entered into prior to or contemporaneously with the execution of this agreement, other than as provided herein, are excluded whether oral or in writing.




Features

RS 1 Assembly

- | | | |
|----------------------------|----------------------------------|--|
| 1. Male / Female Blade | 8. Floor Sill | 16. Floor Sill |
| 2. Male Centermate Blade | 9. Adjustable Floor Sill Adaptor | 17. Adjustable Floor Sill Adaptor/ w/Lip |
| 3. Female Centermate Blade | 10. Threshold Track | 18. Plastic Knob Lock |
| 4. 180 Male Starter | 11. Starter Angle | 19. Locking Pin |
| 5. Header Wall Mount | 12. Aluminum B.O. Angle | 20. Nickel Plated Push Lock Button |
| 6. B.O. Header Wall Mount | 14. Aluminum B.O. Angle | |
| 7. Ceiling Header Mount | 15. Ceiling Header | |


Blades and Extrusions



Features

Blade | Length: 14.6"


Stock No.	Color	Unit
AC45-01-00-00	White	Feet
AC45-01-00-05	Ivory	Feet
AC45-01-00-07	Beige	Feet
AC45-01-00-10	Bronze	Feet



Features

Blade | Length: 16.6"


Stock No.	Color	Unit
AC45-01-01-00	White	Feet
AC45-01-01-05	Ivory	Feet
AC45-01-01-07	Beige	Feet
AC45-01-01-10	Bronze	Feet



Features

Blade | Length: 18.0"


Stock No.	Color	Unit
AC45-01-02-00	White	Feet
AC45-01-02-05	Ivory	Feet
AC45-01-02-07	Beige	Feet
AC45-01-02-10	Bronze	Feet



Features

Starter Strip 180 | Length: 16.6"


Stock No.	Color	Unit
AC45-02-01-00	White	Feet
AC45-02-01-05	Ivory	Feet
AC45-02-01-07	Beige	Feet
AC45-02-01-10	Bronze	Feet



Features

Female Center Lock | Length: 18.0"

Stock No.	Color	Unit
AC45-03-02-00	White	Feet
AC45-03-02-05	Ivory	Feet
AC45-03-02-07	Beige	Feet
AC45-03-02-10	Bronze	Feet




Features

Male Center Lock | Length: 18.0"

Stock No.	Color	Unit
AC45-04-02-00	White	Feet
AC45-04-02-05	Ivory	Feet
AC45-04-02-07	Beige	Feet
AC45-04-02-10	Bronze	Feet


Headers and Sills



Features

Ceiling Header Mount | Length: 20.0"


Stock No.	Color	Unit
AC45-05-03-00	White	Feet
AC45-05-03-05	Ivory	Feet
AC45-05-03-07	Beige	Feet
AC45-05-03-10	Bronze	Feet



Features

1" Buildout Header | Length: 20.0"


Stock No.	Color	Unit
AC45-07-03-00	White	Feet
AC45-07-03-05	Ivory	Feet
AC45-07-03-07	Beige	Feet
AC45-07-03-10	Bronze	Feet



Features

2" Buildout Header | Length: 20.0"


Stock No.	Color	Unit
AC45-08-03-00	White	Feet
AC45-08-03-05	Ivory	Feet
AC45-08-03-07	Beige	Feet
AC45-08-03-10	Bronze	Feet



Features

Sill Adapter Track | Length: 20.0"


Stock No.	Color	Unit
AC45-09-03-00	White	Feet
AC45-09-03-05	Ivory	Feet
AC45-09-03-07	Beige	Feet
AC45-09-03-10	Bronze	Feet



Features


Sill | Length: 20.0"

Stock No.	Color	Unit
AC45-10-03-00	White	Feet
AC45-10-03-05	Ivory	Feet
AC45-10-03-07	Beige	Feet
AC45-10-03-10	Bronze	Feet


Features


High Rise | Ceiling Header Mount | Length: 20.0"

Stock No.	Color	Unit
AC55-05-03-00	White	Feet
AC55-05-03-05	Ivory	Feet
AC55-05-03-07	Beige	Feet
AC55-05-03-10	Bronze	Feet


Features


High Rise | 1" Buildout Header | Length: 20.0"

Stock No.	Color	Unit
AC55-07-03-00	White	Feet
AC55-07-03-05	Ivory	Feet
AC55-07-03-07	Beige	Feet
AC55-07-03-10	Bronze	Feet


Features


High Rise | Sill Adapter Channel | Length: 20.0"

Stock No.	Color	Unit
AC55-09-03-00	White	Feet
AC55-09-03-05	Ivory	Feet
AC55-09-03-07	Beige	Feet
AC55-09-03-10	Bronze	Feet


Features

High Rise | Sill Channel | Length: 20.0"


Stock No.	Color	Unit
AC55-10-03-00	White	Feet
AC55-10-03-05	Ivory	Feet
AC55-10-03-07	Beige	Feet
AC55-10-03-10	Bronze	Feet


Features

Walkover | Length: 20.0"

Stock No.	Color	Unit
AC55-14-03-00	White	Feet

Hardware



Features


Pin Locks | RS-1 High Velocity System and #10 System | Rod Length: 18.0"

Stock No.	Color	Unit	Inches
HAAC-EI-MI-AN	Anodized	Each	5/16"
HAAC-EI-RO-RO	Anodized	Each	1/2"

Features

Pin Locks | RS-1 High Velocity System


Stock No.	Color	Unit	Inches
HAAC-PIN-PE-06	Anodized	Each	06"
HAAC-PIN-PE-08	Anodized	Each	08"
HAAC-PIN-PE-10	Anodized	Each	10"
HAAC-PIN-PE-12	Anodized	Each	12"
HAAC-PIN-PE-16	Anodized	Each	16"
HAAC-PIN-PE-18	Anodized	Each	18"
HAAC-PIN-PE-20	Anodized	Each	20"
HAAC-PIN-PE-24	Anodized	Each	24"
HAAC-PIN-PE-30	Anodized	Each	30"
HAAC-PIN-PE-36	Anodized	Each	36"
HAAC-PIN-PE-48	Anodized	Each	48"
HAAC-PIN-PE-54	Anodized	Each	54"
HAAC-PIN-PE-60	Anodized	Each	60"



Features

Handle for Center Lock | RS-1 High Velocity System


Stock No.	Color	Unit
AC45-15-00-00	White	Each
AC45-15-00-05	Ivory	Each
AC45-15-00-07	Beige	Each
AC45-15-00-10	Bronze	Each
AC45-15-00-98	Mill Finish	Each



Features

Center Cylinder Lock | RS-1 High Velocity System

Stock No.	Color	Unit
HAAC-PE-LO-00	White	Each
HAAC-PE-LO-20	Chrome	Each
HAAC-PE-LO-98	Brass	Each



Features

Center Cylinder High Security Lock | RS-1 High Velocity System

Stock No.	Color	Unit
HAAC-PE-LO-21	Stainless Steel (High Security)	Each



Features

Inside Handle | RS-1 High Velocity System

Stock No.	Color	Unit
AC45-15-00-98	Mill Finish	Each



Features


Thumb Screw | RS-1 High Velocity System

Stock No.	Color	Unit
HAAC-TH-PI-10	Mill Finish	Each

Features

Thumb Screw | #10 System


Stock No.	Color	Unit
HAAC-TH-PI-20	Mill Finish	Each



Features

5/16" Plastic Knob Lock | 18x1 SSMS | Plastic Head in White


Stock No.	Color	Unit
HAAC-KNOB-LO-00	White	Each



Features

Wheel Carriers | RS-1 High Velocity System | 18.8 S.S

Stock No.	Color	Unit
HAAC-BB-CA-98	Mill Finish	Each



Features

Hat Bushing | Small

Stock No.	Color	Unit
HAAC-BB-HB-00	White	x1000's
HAAC-BB-HB-10	Black	x1000's

Hardware



Features

14 x 3 Long HWH Coated Hex Head Screw

Stock No.


HAAC-BB-HW-14

Color

Mill Finish

Unit

x100's



Features

Long Bushing | RS-1 High Velocity System

Stock No.

HAAC-BB-LB-00

Color

White


Unit

x1000's

HAAC-BB-LB-10

Black

x1000's



Features

Medium Bushing | RS-1 High Velocity System

Stock No.

HAAC-BB-MB-00

Color

White

Unit

x1000's

HAAC-BB-MB-10

Ivory

x1000's



Features

Flat Washer | RS-1 High Velocity System

Stock No.

HAAC-PE-WA-14

Color

Mill Finish

Unit

x1000's



Features

Flat Washer #14 | 18.8

Stock No.


HAAC-BB-WA-14

Color

Mill Finish

Unit

x1000's



Features

Flat Washer #10 | 18.8

Stock No.


HAAC-EC-WA-10

Color

Mill Finish

Unit

x1000's



Features

Wheel Carriers #10 | 18.8 S.S

Stock No.


HAAC-EC-CA-98

Color

Mill Finish

Unit

x100's



Features

#10 Hat Bushing | Large

Stock No.

HAAC-EC-HB-00

Color

White

Unit

x1000's

HAAC-EC-HB-10

Black

x1000's



Features

10 x 3 Long HWH Coated Hex Screw

Stock No.


HAAC-EC-HW-10

Color

Mill Finish

Unit

x100's



Features

Tek Screw | Size: 10 x 3/4"

Stock No.

HAAC-TE-SC-10

Color

White

Unit


x100's

HAAC-TE-SC-10B

Bronze

x100's

Hardware



Features

Tek Screw | 14 x 3/4"

Stock No.

HAAC-TE-SC-14

HAAC-TE-SC-14B

Color


White

Bronze

Unit

x100's

x100's



Features

Quickset Concrete Anchor | 1/4" x 1 3/4"

Stock No.

HAPA-QS-TA-17

Color

White

Unit

x100's



Features

Quickset Concrete Anchor | 1/4" x 2 1/4"

Stock No.


HAPA-QS-TA-22

Color

White

Unit

x100's



Features

Hex Concrete Anchor | 1/4" x 1 3/4"

Stock No.

HARO-TA-SC-17

Color

Blue

Unit

x100's



Features

Hex Concrete Anchor | 1/4" x 2 1/4"

Stock No.


HARO-TA-SC-22

Color

Blue

Unit

x100's



Features

T-Lock Handle

Stock No.


HAAC-TH-LO-98

Color

Chrome

Unit

Each



Features

Wood Lag Screw | Size: 1/4" x 1 3/4"

Stock No.


HA-SH-LAG-BOL-1

Color

Mill Finish

Unit

Each



Features

Wood Lag Screw | Size: 1/4" x 2"

Stock No.


HA-SH-LAG-BOL-2

Color

Mill Finish

Unit

Each



Features

Wood Lag Screw | Size: 1/4" x 3"

Stock No.

HA-SH-LAG-BOL-3

Color

Mill Finish

Unit

Each



Features

Wood Lag Screw | Size: 1/4" x 4"

Stock No.

HA-SH-LAG-BOL-4


Color

Mill Finish

Unit

Each


Extruded Aluminum Angles



Features

Aluminum Angles | Length: 20'


A x B x C	Stock No.	Color	Unit
1.5 x 1.5 x .125	5010-LA-18-00	White	Feet
1.5 x 1.5 x .125	5010-LA-18-05	Ivory	Feet
1.5 x 1.5 x .125	5010-LA-18-07	Beige	Feet
1.5 x 1.5 x .125	5010-LA-18-10	Bronze	Feet
1.5 x 1.5 x .125	5010-LA-18-98	Mill	Feet



Features

Aluminum Angles | Length: 20'


A x B x C	Stock No.	Color	Unit
1 x 1 x .125	5011-LA-18-00	White	Feet
1 x 1 x .125	5011-LA-18-05	Ivory	Feet
1 x 1 x .125	5011-LA-18-07	Beige	Feet
1 x 1 x .125	5011-LA-18-10	Bronze	Feet
1 x 1 x .125	5011-LA-18-98	Mill	Feet



Features

Aluminum Angles | Length: 20'


A x B x C	Stock No.	Color	Unit
1 x 2 x .0625	5012-LA-16-98	Mill	Feet



Features

Aluminum Angles | Length: 20'

A x B x C	Stock No.	Color	Unit
1 x 2 x .125	5012-LA-18-00	White	Feet
1 x 2 x .125	5012-LA-18-05	Ivory	Feet
1 x 2 x .125	5012-LA-18-07	Beige	Feet
1 x 2 x .125	5012-LA-18-10	Bronze	Feet
1 x 2 x .125	5012-LA-18-98	Mill	Feet




Features

Aluminum Angles | Length: 20'

A x B x C	Stock No.	Color	Unit
1 x 2 x .093	5012-LA-32-00	White	Feet
1 x 2 x .093	5012-LA-32-05	Ivory	Feet
1 x 2 x .093	5012-LA-32-07	Beige	Feet
1 x 2 x .093	5012-LA-32-10	Bronze	Feet
1 x 2 x .093	5012-LA-32-98	Mill	Feet


Extruded Aluminum Angles

16


Features


Aluminum Angles | Length: 20'

A x B x C	Stock No.	Color	Unit
1 x 3 x .125	5013-LA-18-00	White	Feet
1 x 3 x .125	5013-LA-18-05	Ivory	Feet
1 x 3 x .125	5013-LA-18-07	Beige	Feet
1 x 3 x .125	5013-LA-18-10	Bronze	Feet
1 x 3 x .125	5013-LA-18-98	Mill	Feet


Features


Aluminum Angles | Length: 20'

A x B x C	Stock No.	Color	Unit
2 x 2 x .125	5022-LA-18-00	White	Feet
2 x 2 x .125	5022-LA-18-05	Ivory	Feet
2 x 2 x .125	5022-LA-18-07	Beige	Feet
2 x 2 x .125	5022-LA-18-10	Bronze	Feet
2 x 2 x .125	5022-LA-18-98	Mill	Feet


Features


Aluminum Angles | Length: 20'

A x B x C	Stock No.	Color	Unit
2 x 3 x .125	5023-LA-18-00	White	Feet
2 x 3 x .125	5023-LA-18-05	Ivory	Feet
2 x 3 x .125	5023-LA-18-07	Beige	Feet
2 x 3 x .125	5023-LA-18-10	Bronze	Feet
2 x 3 x .125	5023-LA-18-98	Mill	Feet


Features

Aluminum Angles | Length: 20'


A x B x C	Stock No.	Color	Unit
2 x 4 x .125	5024-LA-18-00	White	Feet
2 x 4 x .125	5024-LA-18-05	Ivory	Feet
2 x 4 x .125	5024-LA-18-07	Beige	Feet
2 x 4 x .125	5024-LA-18-10	Bronze	Feet
2 x 4 x .125	5024-LA-18-98	Mill	Feet


Features

Aluminum Angles | Length: 20'

A x B x C	Stock No.	Color	Unit
2 x 5 x .125	5025-LA-18-00	White	Feet
2 x 5 x .125	5025-LA-18-05	Ivory	Feet
2 x 5 x .125	5025-LA-18-07	Beige	Feet
2 x 5 x .125	5025-LA-18-10	Bronze	Feet
2 x 5 x .125	5025-LA-18-98	Mill	Feet

Extruded Aluminum Angles




Features

Aluminum Angles | Length: 20'

A x B x C	Stock No.	Color	Unit
2 x 7 x .125	5027-LA-18-00	White	Feet
2 x 7 x .125	5027-LA-18-05	Ivory	Feet
2 x 7 x .125	5027-LA-18-07	Beige	Feet
2 x 7 x .125	5027-LA-18-10	Bronze	Feet
2 x 7 x .125	5027-LA-18-98	Mill	Feet


Extruded Aluminum Square Tubes

18


Features


Aluminum Rectangular Tubes | Length: 20'

A x B x C	Stock No.	Color	Unit
1 x 2 x .125	7012-AR-18-00	White	Feet
1 x 2 x .125	7012-AR-18-05	Ivory	Feet
1 x 2 x .125	7012-AR-18-07	Beige	Feet
1 x 2 x .125	7012-AR-18-10	Bronze	Feet
1 x 2 x .125	7012-AR-18-98	Mill	Feet


Features


Aluminum Rectangular Tubes | Length: 20'

A x B x C	Stock No.	Color	Unit
1 x 3 x .125	7013-AR-18-00	White	Feet
1 x 3 x .125	7013-AR-18-05	Ivory	Feet
1 x 3 x .125	7013-AR-18-07	Beige	Feet
1 x 3 x .125	7013-AR-18-10	Bronze	Feet
1 x 3 x .125	7013-AR-18-98	Mill	Feet


Features


Aluminum Rectangular Tubes | Length: 20'

A x B x C	Stock No.	Color	Unit
1 x 4 x .125	7014-AR-18-00	White	Feet
1 x 4 x .125	7014-AR-18-05	Ivory	Feet
1 x 4 x .125	7014-AR-18-07	Beige	Feet
1 x 4 x .125	7014-AR-18-10	Bronze	Feet
1 x 4 x .125	7014-AR-18-98	Mill	Feet


Features

Aluminum Tubes | Length: 20'


A x B x C	Stock No.	Color	Unit
2 x 2 x .125	7022-AR-18-00	White	Feet
2 x 2 x .125	7022-AR-18-05	Ivory	Feet
2 x 2 x .125	7022-AR-18-07	Beige	Feet
2 x 2 x .125	7022-AR-18-10	Bronze	Feet
2 x 2 x .125	7022-AR-18-98	Mill	Feet


Features

Aluminum Rectangular Tubes | Length: 20'

A x B x C	Stock No.	Color	Unit
2 x 3 x .125	7023-AR-18-00	White	Feet
2 x 3 x .125	7023-AR-18-05	Ivory	Feet
2 x 3 x .125	7023-AR-18-07	Beige	Feet
2 x 3 x .125	7023-AR-18-10	Bronze	Feet
2 x 3 x .125	7023-AR-18-98	Mill	Feet


Extruded Aluminum Square Tubes



Features

Aluminum Rectangular Tubes | Length: 20'


A x B x C	Stock No.	Color	Unit
2 x 4 x .125	7024-AR-18-00	White	Feet
2 x 4 x .125	7024-AR-18-05	Ivory	Feet
2 x 4 x .125	7024-AR-18-07	Beige	Feet
2 x 4 x .125	7024-AR-18-10	Bronze	Feet
2 x 4 x .125	7024-AR-18-98	Mill	Feet



Features

Aluminum Rectangular Tubes | Length: 20'


A x B x C	Stock No.	Color	Unit
2 x 5 x .125	7025-AR-18-00	White	Feet
2 x 5 x .125	7025-AR-18-05	Ivory	Feet
2 x 5 x .125	7025-AR-18-07	Beige	Feet
2 x 5 x .125	7025-AR-18-10	Bronze	Feet
2 x 5 x .125	7025-AR-18-98	Mill	Feet



Features

Aluminum Tubes | Length: 20'


A x B x C	Stock No.	Color	Unit
3 x 3 x .125	7033-AR-18-00	White	Feet
3 x 3 x .125	7033-AR-18-00	Ivory	Feet
3 x 3 x .125	7033-AR-18-00	Beige	Feet
3 x 3 x .125	7033-AR-18-00	Bronze	Feet
3 x 3 x .125	7033-AR-18-00	Mill	Feet



Features

Aluminum Rectangular Tubes | Length: 20'

A x B x C	Stock No.	Color	Unit
3 x 4 x .125	7034-AR-18-00	White	Feet
3 x 4 x .125	7034-AR-18-05	Ivory	Feet
3 x 4 x .125	7034-AR-18-07	Beige	Feet
3 x 4 x .125	7034-AR-18-10	Bronze	Feet
3 x 4 x .125	7034-AR-18-98	Mill	Feet



Features

Aluminum Tubes | Length: 20'

A x B x C	Stock No.	Color	Unit
4 x 4 x .125	7044-AR-18-00	White	Feet
4 x 4 x .125	7044-AR-18-98	Mill	Feet
4 x 6 x .250	7046-AR-14-98	Mill	Feet

[illegible]



For more information or architectural specifications please call 800-474-9404

© Rollingshield, Inc. 2006. All rights reserved. • www.rollingshield.com